A.W. Jenkinson FOREST PRODUCTS

PXI6 JYP

R 450

Jenkinson

SCANT

A.W. Jenkinson FOREST PRODUCTS www.awjenkinson.co.uk

A.W. Jenkinson

PREMIUM EQUESTRIAN & LIVESTOCK PRODUCTS



2

PREMIUM LIVESTOCK & EQUESTRIAN PRODUCTS

A.W. Jenkinson Forest Products was formed in the mid-1960s when founder, Allan Jenkinson, took the initiative to collect unwanted sawdust and wood shavings from the sawmills around Cumbria and the Borders using a single tractor and trailer. He then transported the timber co-product to the area's farms where sawdust was, and still is, in great demand as livestock and pet bedding.

Today A.W. Jenkinson Forest Products and its associated businesses handle over 3 million tonnes of roundwood, woodchips, shavings, sawdust, bark, green waste and other timber co-products each year, collected from forestry sites, sawmills and other wood processing industries throughout the UK. A.W. Jenkinson Forest Products' services link forestry, sawmilling, wood processing, building and demolition sectors with the demands of pulp, paper and panel manufacture, energy generation, agriculture, horticulture and amenity markets in an environmentally responsible cycle that makes maximum use of one of the world's dwindling resources.



Richard Jenkinson Sales & Marketing Manager Tel: 01768 214 657 Mob: 07876 254 090



John Murray Sales & Distribution Manager Tel: 01931 711 223 Mob: 07876 254 111



Harry Gordon Sales Executive Tel: 01768 214 611 Mob: 07785 457 511




Lynn Montgomerie Sales Executive Tel: 01768 214 656 Mob: 07717 291 294

"We have been a customer of A.W. Jenkinson Forest Products' bedding for more than 25 years. The quality of both product and the service has been excellent from day one."

A.J. Forster, Poultry Farmer






- Premium manufactured shavings produced by A.W. Jenkinson Forest Products.
- Manufactured completely in house using large dust extracted shavings.
- All bales are volume packed to ensure maximum out-turn per bale.
- Packaged in top quality plastic, pallets of bales are then wrapped with a single UV protective hood to allow Natural Flake to be stored outdoors.









- Premium dust extracted milled shavings, baled by A.W. Jenkinson Forest Products.
- Produced from joinery shavings which go through the same dust extraction process to allow us to offer a high quality product.
- All bales are volume packed to ensure maximum out-turn per bale.
- Packaged in top quality plastic, pallets of bales are then wrapped with a single UV protective hood to allow Small Flake to be stored outdoors.

Premium baled dust produced by A.W. Jenkinson Forest Products.

All bales are volume packed to ensure maximum out-turn per bale.
 Packaged in top quality plastic, pallets of bales are then wrapped with a single UV protective hood to allow Dry Sawdust to be

Dry Sawdust is supplied in bales and bulk and can be collected from

Dry Sawdust is extracted from our premium shavings.







Green Sawdust

stored outdoors.

our Penrith Site.

Dry Sawdust

- Milled virgin dust supplied by A.W. Jenkinson Forest Products.
- Fresh Timber is milled to create Green Sawdust.
- Green Sawdust is supplied in bulk or can be collected from our Penrith Site.



"F. Harrison and Sons, of Crossrigg Farm near Penrith, like using A.W. Jenkinson Forest Products' dry sawdust because it keeps the cattle beds clean, dry and free from bacteria, maintaining healthy udders and productive cows."

Debbie Harrison, Crossrigg Holsteins



"I wouldn't choose any other product than A.W. Jenkinson Forest Products' Natural Flake wood shavings for my stable bedding. l can rest easy when I know my horses are comfortable in their beds."

Scott Brash MBE, World-Class Professional Show Jumper



Pet and Livestock Bedding

- A.W. Jenkinson Forest Products is a leading provider of a broad range of pet and livestock bedding.
- A variety of bedding grades are processed, suitable for horses, cattle, sheep and household pets.
- The absorbent and biodegradable nature of the products make them ideal for use as bedding.
- All bedding products are screened to ensure consistency.

Wildlife Parks, Zoos and Product Diversification

- Wood fibre is currently also used as a natural surface for a variety of outdoor and indoor enclosures in wildlife parks and zoos.
- This natural surface adds diversity to the animal's enclosure helping to provide a variety of surfaces that stimulate interest and play.
- A.W. Jenkinson Forest Products' wood fibre can also be used in such diverse areas as golf walkways, municipal gardens and play areas.







Poultry Bedding

- In the poultry bedding industry it is essential that the product is virtually dust free.
- A.W. Jenkinson Forest Products produces cost-effective softwood pine bedding.
- The highly absorbent nature of the material keeps odour to a minimum, whilst enabling chicks to be reared to maturity without the need for a bedding changeover.
- A.W. Jenkinson Forest Products' poultry bedding can be used in commercial poultry sheds, small holdings and domestic hen houses.

Gallops and Walkways

- A.W. Jenkinson Group companies process, screen and market a range of high quality wood fibre products especially for the equestrian market.
- Manufactured by Berite from sustainable UK softwoods, 'Dormit' wood fibre has been the front runner in premium quality equestrian surfaces for over 30 years.
- Excellent matting and compaction characteristics provide a firm yet shock-absorbent surface for all gallops and walkways.

Natural Flake and Small Flake



Wood Shavings

Wood shavings are the most popular form of bedding for equestrian and pet owners, and we recognise how important it is to use a product that has been specifically manufactured for the purpose. A.W. Jenkinson Forest Products' Flake is refined so that they are not only absorbent and easy to clean out, but also free from pests, pathogens and weed seeds.

A.W. Jenkinson Forest Products supply directly to the market place to wholesalers, as well as to end users, such as individual horse and pet owners, through deliveries to farms and stables, or by collection from our Penrith site.

- Produced from a variety of coniferous softwood, predominantly spruce.
- Over 95% of Natural Flake particles fall within a 2-40mm size range.
- Over 95% of Small Flake particles fall within a 2-25mm size range.
- Wood fibre content of 99%+

Premium Quality & Dust Extracted

JATURAL

- Moisture content in the region of 10-25% (dry weight basis).
- The weight/volume ratio (bulk density) is normally in the range of 30-75Kg/m³.
- Out-turn 466 Litres per bale (average).
- The pH range is between 5.5 and 6.5.
- All practical measures are taken to remove foreign matter such as metal, glass, plastic and any other extraneous materials.
- White/light brown in colour with a typically dry woody odour.
- Durable, long lasting and free from pathogens, pests and weed seeds.
- Bale Dimensions (mm) L820 x W380 x H340.

Our products are made from FSC virgin timber and are specially planed to create shavings suitable for animal bedding.



-----Fina

"We need to ensure that everything is top quality here at the stables and with Natural Flake you get that every time."

A.W. Jenkinson 🌾

Simon Buckley, Foxhunter Champion 2013 HOYS





Dry Sawdust

- Over 95% of particles pass through a 5mm mesh sieve whilst negligible quantities (less than 5%) are retained on a 8mm mesh sieve.

Dry Sawdust and Green Sawdust



- Supplied in compressed bales produced on a fully automated baling line or in bulk on Walking Floor or Blower trailers.
- Produced from a variety of coniferous softwood with minimal hardwood content.
- Over 95% of particles pass through a 5mm mesh sieve whilst negligible quantities (less than 5%) are retained as oversize.
- Wood content of 99%+
- Moisture content in the region of 10-25% (green weight basis).
- The weight/volume ratio (bulk density) is normally in the range of 100-250Kg/m³.
- Bale out-turn typically around 125 litres.
- Bale weight normally in the range 15-22Kg depending on moisture content. ■ The pH range is between 4.5 and 5.5.
- Grey/white to pale yellow in colour with a typically dry woody odour.
- Durable, long lasting and free from pathogens, pests and weed seeds.
- The chemical-free, absorbent and biodegradable nature of A.W. Jenkinson Forest Products' sawdust makes it ideal for use as bedding for livestock.

Green Sawdust

- Produced from a variety of coniferous softwood with minimal hardwood content.
- Wood content of 99%+
- Moisture content in the region of 45-65% (green weight basis), subject to seasonal variations.
- The weight/volume ratio (bulk density) is normally in the range of 250-350kg/m³.
- The pH range is between 4.5 and 5.5.
- Grey/white to pale yellow in colour with a typically dry woody odour.
- Durable, long lasting and free from pathogens, pests and weed seeds.
- A.W. Jenkinson Forest Products' Green and Dry Sawdust products are perfect for use in commercial poultry sheds, as well as small-holdings and domestic hen houses.

"A good zoo relies on its suppliers and A.W. Jenkinson is one of the best. Quality and reliability never vary and we look forward to working with you for many years to come."

Blackpool Zoo



Sawdust and Shavings Production

A.W. Jenkinson Forest Products' Penrith site operates a flash drier at the start of its automated bagging line, significantly increasing the volume and quality of product processed at the site.

Once dried and blended, material is screened to remove the fine dust and separate sawdust and shavings. These are then packed using a high specification automated Willems baling line, ready for robot wrapping and palletising in the preferred formats for the farming and equestrian markets.







In Autumn 2015, A.W. Jenkinson Forest Products were made the official horse bedding supplier of The Jockey Club with our Natural Flake bedding product being supplied to Jockey Club racecourse stables around the UK.

The Jockey Club is the largest commercial group in British horseracing, with assets including Cheltenham, Aintree, Epsom Downs and Newmarket racecourses.





17

"Dormit provides a secure and safe surface that withstands our inclement Scottish weather and makes our horses work hard. Dormit woodchip is straightforward to maintain and extremely cost-effective. Our winners are testament to the effectiveness and having used Dormit since 1997 on various gallops it is my recommendation to anyone who wants to produce sound, fit horses."

Lucinda Russell, Racehorse Trainer



A.W. Jenkinson Group company Berite is a miller of sawn timber and the manufacturer of 'Dormit' wood fibre, a high quality product that is used in all-weather equestrian gallops.

The Company's sawmill at South Cerney in Gloucestershire consumes around 20,000 tonnes annually of coniferous logs at its three acre site in the picturesque Cotswold Water Park.

Bark removed during the milling process then enters the A.W. Jenkinson Forest Products supply chain to be processed into top dressings and peat-free compost.

For further information on Dormit wood fibre, please contact Harry Gordon on 07785 457 511, or email beritewebenquiries@berite.co.uk



Dormit Wood Fibre



- Made of mixed conifer species, mainly larch, spruce and fir, from forests which are suitably managed under the UK Woodland Assurance Scheme.
- Graded using the Miracle Mill and screen system to a very consistent particle size; 75-80% from 5-30mm, with no chips over 50mm long.
- Minimal fines content, usually less than 5% (passing through an 8mm mesh screen) and negligible sawdust content.
- Bark content aids the binding of the surface.
- Moisture content in the region of 40-60% (green weight basis).
- The weight/volume ratio (bulk density) normally 300-310g/litre.
- The pH range is between 5.0 and 6.0.
- Free of all foreign matter such as metal, stones, plastics, glass and other extraneous materials.
- Golden brown in colour whilst virtually free of odour.
- Durable, long lasting and free from pathogens, pests and weed seeds.

Dormit Wood Fibre 20

FOSSEHILL FARM

RAU Farms 🖁

"I have used Dormit wood fibre for many years and it provides a really good working surface, staying consistent in all sorts of weathers. It's great value for money, supplied with reliable and friendly service - I wouldn't want to use anything else."

Mike Channon, Racehorse Trainer



A.W. JENKINSON FOREST PRODUCTS' TRANSPORT

4.W. Jenķinson

45(

PXI5 UOC

Jenkinson ,

PY63 MVM

iws.WI

A.W. Jenkinson Transport Ltd. has a large national fleet of articulated lorries though the Penrith Sales team utilises a range of smaller vehicles, including 5.5 tonne and 14 tonne vehicles. This dedicated fleet of small vehicles, trailer combination units and four-axle vehicles has been specifically developed to support the delivery of bulk palletised, baled or loose wood fibre, flake and sawdust to the most remote sites, often on narrow country roads with limited access.

The Company's Penrith site is also open daily for sales of various grades of wood fibre directly to the general public. This material can either be collected, or may be delivered in a baled or loose form when required.





Articulated Units

- Maximum capacity 121 cubic yards to 146 cubic yards.
- Ideal for large volumes of bulk loose material and palletised goods.
- Various types of trailers including self-discharging walking floors, tippers, and curtain-siders with or without attached forklifts.



Volvo FL

- Can carry up to 19.62 cubic yards.
- Ideal for carrying palletised bales and bags and loose material in relatively small amounts.
- Excellent manoeuvrability essential for accessing remote sites.
- Can carry a combination of both bulk and palletised goods.





Sprinters

- Can carry up to 7.85 cubic yards.
- Ideal for carrying small volumes of loose or palletised goods.
- Excellent manoeuvrability essential for accessing remote sites.



Eight Wheeled Units

- Can carry up to 52.32 cubic yards.
- Ideal for medium volumes of bulk loose material.
- Offers excellent manoeuvrability combined with significant carrying capacity.
- It is possible for some types of material to be blown directly from the trailer into feed bins and buildings.



WJenkinson

FOREST PRODUCTS

"Natural Flake are undoubtedly the best shavings we have ever used in the stables. Large volume bales and a consistent, high-quality product means they last longer on the yard, resulting in fewer deliveries and lower costs. I have found Natural Flake has been the most cost-effective way to get premium bedding here at Bankhouse."


A.W. Jenkinson

FOREST PRODUCTS

Donald McCain, Racehorse Trainer



High Volume Trailers: Bulk Loose Material and Palletised Goods.





Walking Floor Trailers: Bulk Loose Material and Palletised Goods.

Overall Height	4.20-4.50m
Additional Loading Clearance up to	3.00m
Minimum Door Clearance	
(allowing safe door opening)	5.25m
Trailer Width	2.55m
Trailer Length	13.60m
Volume up to	110 ³ metres



Chipliner Trailers: Bulk Loose Material and Palletised Goods.



27

A.W. JENKINSON FOREST SPECIALIST BULK TRANSPORT

 Specifications

 Overall Height
 3.93m

 Minimum Door Clearance (allowing safe door opening)
 5.50m


 Trailer Width
 2.55m

 Trailer Length
 11.00m

 Safe Door Radii 1.99 and 1.1m
 Safe Door Radii

Bulk Blower Unit: Bulk Loose Sawdust, Flake and Animal Feed Transport.

Timber Crane Trailers: Roundwood Forestry and Milling Co-Product Transport.



Tipper Units: Bulk Loose Material and Animal Feed Transport.

Overall Height	3.80m
Fully Tipped Height	10.87m
Minimum Door Clearance	
(allowing safe door opening)	5.50m
Trailer Width	2.55m
Trailer Length	11.50m
Volume up to	57 ³ metres



A.W. JENKINSON EQUESTRIAN & LIVESTOCK SUPPORT



Small Trailer Combination: Bulk Baled and Palletised Sawdust and Flake Transport.

Eight Wheeled Unit: Bulk Loose Sawdust Flake and Animal Feed Transport.

Overall Height	3.68m	A =	
Overall Length	9.95m	1	
Minimum Door Clearance (allowing safe door opening)	5.50m	Height 3.68m	
Overall Width	2.55m	5.00m	
Body Length	7.14m		



Volvo FL: Bulk Loose Sawdust Flake and Animal Feed Transport.

Overall Height	3.68m
Overall Length	9.95m
Minimum Door Clearance	
(allowing safe door opening)	5.50m
Overall Width	2.55m
Body Length	7.14m




29

Trailer Length (with forklift) 15.00m Specifications Overall Height 4.66m Additional Loading Clearance up to 3.00m 2.99m (Internal Height) Aperture Height (to pelmet) A.W. Jenkinson Minimum Door Clearance Heigh Heig FOREST PRODUCTS (allowing safe door opening 5.25m 4.66m 2.99m Trailer Width 2.55m Trailer Length (without forklift) 13.60m Trailer Length (with forklift) 15.00m (forklift is 1.4m) Volume up to 100³ metres Trailer Length (without forklift) 13.60m

Forklift Mounted Truck: Bulk Baled and Palletised Sawdust and Flake Transport.


Timber Crane and Drag Trailer: Roundwood Forestry and Milling Co-Product Transport.



Mercedes Sprinter: Bulk Baled and Palletised Sawdust and Flake Transport.

Specifications	
Overall Height	2.30m
Fully Tipped Height	4.30m
Overall Length	6.20m
Trailer Length	3.53m
Width	2.55m





A.W. Jenkinson FOREST PRODUCTS

Centred on its specialist Sawdust and Flake production facilities at Penrith and Clifton in Cumbria, the A.W. Jenkinson Group of companies provide national coverage for large volume equestrian and livestock products.

Smaller volume coverage of Sawdust, Chip and Flake extends across the Cumbria and Borders region, serviced by Penrith and Clifton. Direct sales to the general public are also provided by the Penrith processing facility.

PENRITH SALES OFFICE

Penrith Industrial Estate Haweswater Road, Penrith Cumbria CA11 9EU

Tel: 01768 891 660 Fax: 01768 891 597 Email: sales@awjenkinson.co.uk

Harry Gordon

BERITE SAWMILLS LIMITED

A.W. Jenkinson Group company Berite is a miller of sawn timber and the manufacturer of 'Dormit' wood fibre, a high quality product that is used in all-weather equestrian gallops.

The Company's sawmill at South Cerney in Gloucestershire consumes around 20,000 tonnes annually of coniferous logs at its three acre site in the picturesque Cotswold Water Park.

Dormit Wood Fibre

BERITE SAWMILLS LTD.


Lakeside Sawmills, Broadway Lane, South Cerney Gloucestershire GL7 5UH

Tel: 01285 860781 Fax: 01285 861033 Email: beritewebenquiries@berite.co.uk

SALES ENQUIRIES

Sales Executive.

Tel: 01768 214 611 Mob: 07785 457 511







SALES CONTACTS

Richard Jenkinson Sales & Marketing Manager Tel: 01768 214 657 Mob: 07876 254 090

 Harry Gordon Sales Executive

 Tel: 01768 214 611
 Mob: 07785 457 511

John Murray Sales & Distribution Manager Tel: 01931 711 223 Mob: 07876 254 111

Lynn Montgomerie Sales Executive Tel: 01768 214 656 Mob: 07717 291 294 **A.W. Jenkinson Forest Products** Clifton Moor, Clifton, Penrith, Cumbria CA10 2EY. Tel: 01931 712 644 Email: info@awjenkinson.co.uk

www.awjenkinson.co.uk